

ZAOWAWU

ELECTRIC AIR DUSTER  
& PORTABLE TIRE INFLATORS

# PRODUCT CATALOG

---

2026

# CONTENTS

## 01 About US

COMPANY PROFILE /01  
FACTORY WORKSHOP /02

## 02 Turbo Fan

ZP001 /05  
ZP002 /06  
ZP003/ ZP003 PRO /07  
ZP004 /08  
ZP005/ ZP005 PRO /09  
ZP006 /10  
ZP007 /11  
ZP008 /12  
ZP009 /13  
ZP010 /14

## 03 Tire Inflator

ZP001 /17	ZP007 /23
ZP002 /18	ZP008 /24
ZP003 /19	ZP009 /25
ZP004 /20	ZP010 /26
ZP005 /21	ZP011 /27
ZP006 /22	ZP012 /28



# ABOUT SHANGYUAN

Shenzhen Shangyuan Impression Technology Co., Ltd. was founded in 2014 and has since been dedicated to the research, development, and sales of consumer electronics.

Our current product portfolio focuses on high-performance products such as electric air duster and portable tire inflators. With strong R&D capabilities and rich manufacturing experience, We offer comprehensive OEM and ODM services to meet the diverse needs of global clients.

Committed to innovation, quality, and customer satisfaction, we aim to deliver smart, reliable solutions for everyday life.



# OFFICE SPACE & PRODUCTION WORKSHOP



# ELECTRIC AIR DUSTER (TURBO FAN)








## TURBO FAN

### ZP001

### PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 29mm
RPM	130,000 RPM
Battery Capacity	7.4V/3000mAh
Battery Type	Lithium battery 21700
Battery life	90 minutes (1st gear), 15 minutes (2nd gear), 10 minutes (3rd gear)
Charging Time	>2.5 hours
W.G	About 305g
Size	146*96*40mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

### ZP002

### PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 29mm
RPM	130,000 RPM
Battery Capacity	7.4V/3000mAh
Battery Type	Lithium battery 21700
Battery life	120 minutes (1st gear), 25 minutes (2nd gear), 10 minutes (3rd gear)
Charging Time	>2.5 hours
W.G	About 290g
Size	143*69*38mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

ZP003 / ZP003 PRO

PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 40mm
RPM	90,000RPM (MAX) $\pm$ 2000
Battery Capacity	14.8V/2500mAh
Battery Type	Lithium battery 18650
Battery life	7 minutes (3rd gear)
Charging Time	1-2 hours
W.G	About 410.8g
Size	165*9*48mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

ZP004

PRODUCT PARAMETER

Motor Type	Brushless motor Ø29mm 120W
RPM	110,000 RPM
Battery Capacity	11.1V/2000mAh
Battery Type	Lithium battery 18650
Battery life	90 minutes (1st gear), 40 minutes (2nd gear), 16 minutes (3rd gear)
Charging Time	3-3.5 hours
W.G	345g
Size	78*48*155mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

### ZP005 / ZP005 PRO

### PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 29mm 120W
RPM	120,000 RPM
Battery Capacity	11.1V/2000mAh
Battery Type	Lithium battery 18650
Battery life	15min-4 hours
Charging Time	>2.5 hours
W.G	About 313g
Size	71*48*157mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

### ZP006

### PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 32mm 180W
RPM	110,000 RPM
Battery Capacity	11.1V/2500mAh
Battery Type	Lithium battery 18650
Battery life	255 minutes (1st gear), 30 minutes (2nd gear), 10 minutes (3rd gear)
Charging Time	1.25 hours (PD24W)
W.G	395g
Size	160*90*45mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

### ZP007

### PRODUCT PARAMETER

Motor Type	Brushless motor $\varnothing$ 29mm
RPM	130,000 RPM
Battery Capacity	7.4V/2500mAh
Battery Type	Lithium battery 18650
Battery life	120 minutes (1st gear), 35 minutes (2nd gear), 10 minutes (3rd gear)
Charging Time	>2.5 hours
W.G	228g
Size	146*96*40mm
Certification	CE, RoHS, FCC, Battery Certificates



## TURBO FAN

### ZP008

### PRODUCT PARAMETER

Motor Type	Brushless motor Ø29mm 120W
RPM	110,000 RPM
Battery Capacity	7.4V/2500mAh
Battery Type	Lithium battery 18650
Battery life	4 hours (1st gear), 36 minutes (2nd gear), 19 minutes (3rd gear)
Charging Time	3.5 hours
W.G	205g
Size	131*86*37mm
Certification	CE, RoHS, FCC, Battery Certificates



## TURBO FAN

### ZP009

### PRODUCT PARAMETER

Motor Type	Brushless motor Ø29mm 120W
RPM	110,000 RPM
Battery Capacity	7.4V/2500mAh
Battery Type	Lithium battery 18650
Battery life	4 hours (1st gear), 36 minutes (2nd gear), 19 minutes (3rd gear)
Charging Time	3.5 hours
W.G	204g
Size	131*88*36.5mm
Certification	CE, RoHS, FCC, Battery Certificates





## TURBO FAN

### ZP010

### PRODUCT PARAMETER

Motor Type	Brushless motor Ø29mm 120W
RPM	110,000 RPM
Battery Capacity	7.4V/2500mAh
Battery Type	Lithium battery 18650
Battery life	4 hours (1st gear), 36 minutes (2nd gear), 19 minutes (3rd gear)
Charging Time	3.5 hours
W.G	214g
Size	138*82*43mm
Certification	CE, RoHS, FCC, Battery Certificates



# TIRE INFLATOR







## TIRE INFLATOR

### ZT001

### PRODUCT PARAMETER

Battery Capacity	11.1V/ 2000mAh
Cylinder Size	20mm cylinder
Highest Pressure	150PSI
Inflation Rate	23 L/min
W.G	585g
Size	170*71*65mm





## TIRE INFLATOR

### ZT002

### PRODUCT PARAMETER

Battery Capacity	7.4V/ 600mAh
Cylinder Size	14mm cylinder
Highest Pressure	150PSI
Inflation Rate	11 L/min
W.G	200g
Size	79*46*36.5mm





## TIRE INFLATOR

### ZT003

### PRODUCT PARAMETER

Battery Capacity	11.1V/ 2000mAh
Cylinder Size	20mm cylinder
Highest Pressure	150PSI
Inflation Rate	23 L/min
W.G	529.6g
Size	170*70*50mm






## TIRE INFLATOR

ZT004

PRODUCT PARAMETER

Battery Capacity	7.4V/ 4000mAh
Cylinder Size	19mm cylinder
Highest Pressure	150PSI
Inflation Rate	19 L/min
W.G	473g
Size	167.5*70*52mm



## TIRE INFLATOR

### ZT005

### PRODUCT PARAMETER

Battery Capacity	11.1V/4000mAh
Cylinder Size	22mm cylinder
Highest Pressure	150PSI
Inflation Rate	27L/min
W.G	667g
Size	177.5*74*51mm



## TIRE INFLATOR

### ZT006

### PRODUCT PARAMETER

Battery Capacity	7.4V/2600mAh
Cylinder Size	20mm cylinder
Highest Pressure	150PSI
Inflation Rate	12L/min
W.G	500g
Size	72*48*167mm



## TIRE INFLATOR

### ZT007

### PRODUCT PARAMETER

Battery Capacity	7.4V/ 2000mAh
Cylinder Size	19mm cylinder
Highest Pressure	150PSI
Inflation Rate	20 L/min
W.G	420g
Size	128*75.8*56.4mm



## TIRE INFLATOR

### ZT008

### PRODUCT PARAMETER

Battery Capacity	21.6V/ 2550mAh
Cylinder Size	25mm cylinder
Highest Pressure	150PSI
Inflation Rate	27L/min
W.G	1473g
Size	140.4x118.1x178.7mm



## 2 IN 1 JUMP STARTER & TIRE INFLATOR

ZT009

PRODUCT PARAMETER

Battery Capacity	8000mAh
Cylinder Size	22mm cylinder
Highest Pressure	150PSI
Inflation Rate	24 L/min
Start Current	480A
Peak Current	800A (0.3S) , 2000A(0.1S)
Support Car Engine	Petrol and Diesel Vehicles
W.G	860g
Size	210*95*65mm



## TIRE INFLATOR

### ZT010

### PRODUCT PARAMETER

Battery Capacity	7.4V/ 530mAh
Cylinder Size	16mm cylinder
Highest Pressure	120PSI
Inflation Rate	25 L/min
W.G	168.5g
Size	77*52*32mm



## 2 IN 1 JUMP STARTER & TIRE INFLATOR

### ZT011

### PRODUCT PARAMETER

Battery Capacity	14.8V /2500 mAh
Cylinder Size	22mm cylinder
Highest Pressure	150PSI
Inflation Rate	24 L/min
Start Current	1000A
Peak Current	2000A
Support Car Engine	Petrol and Diesel Vehicles
W.G	850g
Size	188*48*138mm



## 2 IN 1 JUMP STARTER & TIRE INFLATOR

### ZT012

### PRODUCT PARAMETER

Battery Capacity	14.8V /2500mAh
Cylinder Size	25mm cylinder
Highest Pressure	150PSI
Inflation Rate	24 L/min
Start Current	1000A
Peak Current	2000A
Support Car Engine	Petrol and Diesel Vehicles
W.G	936g
Size	190*56*150mm



ZAOWAWU

# THANKS

**深圳市尚源印象科技有限公司**

深圳市宝安区沙井街道大王山社区沙井路4-2号四层

**SHENZHEN SHANGYUAN IMPRESSION TECHNOLOGY CO., LTD.**

4th Floor, No. 4-2 Shajing Road, Dawangshan Community, Shajing Subdistrict, Bao'an District, Shenzhen, China

Web: [www.zaowawutech.com](http://www.zaowawutech.com)

Mobile/WhatsApp: +86 18025305585

ZAOWAWU